





















# AVAILABLE SEEDS ( HERBS )

<p>1</p>	<p><b>AMARANTH</b> Coral Fountain</p>		<p><b>When to Sow:</b> After the last frost, when soil temperatures. <b>Hardiness:</b>A warm-season annual <b>Exposure:</b> Full sun to part shade</p>
<p>2</p>	<p><b>ARUGULA</b> Bellezia (Organic)</p>		<p><b>When to Sow:</b> Sow as soon as the soil can be worked in the early spring, a couple of weeks before your last frost date <b>Hardiness:</b> Cool weather <b>Exposure:</b> Full sun to part shade</p>
<p>3</p>	<p><b>ASPARAGUS</b></p>		<p><b>When to Sow:</b> The best time is early spring (Feb-April) when the ground thaws <b>Hardiness:</b> Cold-hardy perennial that can withstand cool spring temperatures and winters <b>Exposure:</b> Full sun</p>
<p>4</p>	<p><b>BASIL</b> Purple Opal</p>		<p><b>When to Sow :</b>Plant directly in the garden in spring (March/April) when soil is warm and nighttime temperatures are consistently above 50°F <b>Hardiness:</b>can be grown year-round in mild climates like San Diego (Zone 10/11) if protected from frost. <b>Exposure:</b> Full sun</p>

<p>5</p>	<p><b>BASIL</b> Thai (Organic)</p>	 <p>© Botanical Interest, Inc.</p>	<p><b>When to Sow :</b> 1 to 2 weeks after your average last frost date, and when soil temperature is at least 60°F, ideally 65°–85°F. <b>Hardiness:</b> Frost-sensitive annual <b>Exposure:</b> Full sun</p>
<p>6</p>	<p><b>BASIL</b> Greek</p>		<p><b>When to Sow :</b> 1 to 2 weeks after your average last frost date, and when soil temperature is at least 60°F, ideally 65°–85°F. <b>Hardiness:</b> Does not tolerate cold temperatures well. <b>Exposure:</b> Full sun</p>
<p>7</p>	<p><b>BASIL</b> Cinnamon Albahaca</p>		<p><b>When to Sow :</b> Direct sow or transplant seedlings after all danger of frost has passed and soil temperatures have reached at least 65-70°F <b>Hardiness:</b> Generally grown in zones 3–11 as a summer annual. <b>Exposure:</b> Full sun</p>
<p>8</p>	<p><b>BASIL</b> Sweet Albahaca</p>		<p><b>When to Sow :</b> Wait until the soil has thoroughly warmed up and nighttime temperatures consistently stay above 60°F <b>Hardiness:</b> Basil is very sensitive to cold; <b>Exposure:</b> Full sun</p>

<p>9</p>	<p><b>CATNIP</b> Hierba Gatera</p>		<p><b>When to Sow :</b>After the last frost in spring, or in the fall for a denser crop. <b>Hardiness:</b> Hardy in zones 3 to 9. <b>Exposure:</b> Full sun</p>
<p>10</p>	<p><b>CHINESE CELERY</b></p>		<p><b>When to Sow :</b> Start seeds indoors 8-10 weeks before your last spring frost,Sow seeds in late summer for a fall harvest. <b>Hardiness:</b> Prefers cool weather, performing best in spring and fall. <b>Exposure:</b> Full sun to partial shade</p>
<p>11</p>	<p><b>CHIVES</b> Common (Organic Heirloom)</p>	 <p><small>© Botanical Interests, Inc.</small></p>	<p><b>When to Sow:</b> 4 to 6 weeks before your average last frost date, when soil temperature is at least 45°F, ideally 60°–70°F; or as late as 2 months before your average first fall frost date. <b>Hardiness:</b> Hardy perennial in USDA zones 4–8 <b>Exposure:</b> Full sun to part shade</p>
<p>12</p>	<p><b>CILANTRO</b></p>		<p><b>When to Sow:</b> 1 to 2 weeks before your average last frost date, and when soil temperature is 55°–68°F. <b>Hardiness:</b> Prefers temperatures between 50-85°F (10-29°C). <b>Exposure:</b> Full sun to part shade</p>

<p>13</p>	<p><b>CILANTRO</b> Long Standing Santo (Organic Heirloom)</p>		<p><b>When to Sow:</b> 1 to 2 weeks before your average last frost date, and when soil temperature is 55°–68°F. <b>Hardiness:</b> Annual <b>Exposure:</b> Full sun to part shade</p>
<p>14</p>	<p><b>DILL</b> (Compact)</p>		<p><b>When to Sow:</b> Sow 2-3 weeks before your last frost date for a cool-season start. <b>Hardiness:</b> A cool-season annual, it tolerates light frost. <b>Exposure:</b> Full sun to part shade</p>
<p>15</p>	<p><b>FENNEL</b> Preludio (Organic)</p>		<p><b>When to Sow :</b> Direct sow in mid-spring as soil warms (above 50°F), after the last hard frost. <b>Hardiness:</b> Tolerates light to moderate frost once established <b>Exposure:</b> Full sun</p>
<p>16</p>	<p><b>GARDEN CRESS</b> (Pepper Grass))</p>		<p><b>When to Sow :</b> In early spring before the last frost and again in late summer/early fall. <b>Hardiness:</b> Thrives in cool weather (50-75°F). <b>Exposure:</b> Prefers full sun but does well in partial shade</p>

<p>17</p>	<p><b>PARSLEY</b> Giant from Italy</p>	 <p><small>© Botanical Interests, Inc.</small></p>	<p><b>When to Sow :</b> 4 to 6 weeks before your average last frost date, or as soon as the soil can be worked; when soil temperature is 50°–85°F. <b>Hardiness:</b> Biennial grown as an annual because the best flavor comes from first year leaves. <b>Exposure:</b> Full sun to part shade</p>
<p>18</p>	<p><b>PARSLEY</b> Grune Perle (Organic)</p>		<p><b>When to Sow :</b> Sow directly in the garden as soon as the soil is workable, about 3-4 weeks before your last frost date, or start indoors 6-8 weeks prior. <b>Hardiness:</b> Parsley is a biennial, often grown as an annual, that tolerates cool weather and light frost. <b>Exposure:</b> Full sun</p>
<p>19</p>	<p><b>SAGE</b> (Organic)</p>		<p><b>When to Sow :</b> After the last spring frost, when soil warms to 60-70°F, or 6-8 weeks before that by starting seeds indoors. <b>Hardiness:</b> Can tolerate cooler weather and keep growing into fall <b>Exposure:</b> Full sun</p>
<p>20</p>	<p><b>TAT SOI</b> Black Night</p>		<p><b>When to Sow :</b> 1-2 weeks after your last frost date, when soil temperatures are consistently above 50°F (10°C). <b>Hardiness:</b> Extremely tolerant, surviving temperatures down to 10-15°F <b>Exposure:</b> Prefers full sun but tolerates partial shade</p>